

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|----------|------------------|---------|------------------|
| L1 | 0 | ((user or viewer) near2 preference\$) and (preference or value) and (hierarchical adj data adj structure) and (tree adj structure) and set and (subset or "sub-set") and (parent near2 object\$) and (child near2 object\$) and (multimedia adj2 content) and (search or searching) and (filter or filtering)).clm. | US-PGPUB | OR | ON | 2007/06/15 15:51 |
| L2 | 0 | ((user or viewer) near2 preference\$) and (preference or value) and (hierarchical adj data adj structure) and (tree adj structure) and set and (subset or "sub-set") and (parent near2 object\$) and (child near2 object\$) and (search or searching) and (filter or filtering)).clm. | US-PGPUB | OR | ON | 2007/06/15 15:51 |
| L3 | 0 | ((user or viewer) near2 preference\$) and (preference or value) and (hierarchical adj data adj structure) and (tree adj structure) and set and (subset or "sub-set") and (search or searching) and (filter or filtering)).clm. | US-PGPUB | OR | ON | 2007/06/15 15:51 |
| L4 | 0 | ((user or viewer) near2 preference\$) and (preference or value) and (hierarchical adj data adj structure) and (tree adj structure) and set and (subset or "sub-set") and (parent near2 object\$) and (child near2 object\$) and (multimedia adj2 content) and (search or searching) and (filter or filtering)).clm. | USPAT | OR | ON | 2007/06/15 15:51 |
| L5 | 0 | ((user or viewer) near2 preference\$) and (preference or value) and (hierarchical adj data adj structure) and (tree adj structure) and set and (subset or "sub-set") and (parent near2 object\$) and (child near2 object\$) and (search or searching) and (filter or filtering)).clm. | USPAT | OR | ON | 2007/06/15 15:51 |

EAST Search History

| | | | | | | |
|-----|-----|--|----------------------------|----|-----|------------------|
| L6 | 0 | ((user or viewer) near2 preference\$) and (preference or value) and (hierarchical adj data adj structure) and (tree adj structure) and set and (subset or "sub-set") and (search or searching) and (filter or filtering)).clm. | USPAT | OR | ON | 2007/06/15 15:51 |
| S1 | 1 | "5469206".pn. | US-PGPUB; USPAT; EPO | OR | ON | 2007/01/26 13:25 |
| S2 | 1 | "5893091".pn. | US-PGPUB; USPAT; EPO | OR | ON | 2005/04/26 10:16 |
| S3 | 0 | "0749081".pn. | EPO | OR | ON | 2005/04/26 10:18 |
| S4 | 0 | ("0749081").PN. | EPO | OR | OFF | 2005/04/26 10:12 |
| S5 | 0 | ("0749081").PN. | EPO | OR | OFF | 2005/04/26 10:15 |
| S6 | 0 | ("0854645").PN. | EPO | OR | OFF | 2005/04/26 10:15 |
| S8 | 0 | "ep0749081".pn. | EPO | OR | ON | 2005/04/26 10:19 |
| S9 | 11 | electronic adj programming adj guide | EPO | OR | ON | 2005/04/26 10:21 |
| S10 | 23 | electronic adj television adj programme adj guide | EPO | OR | ON | 2005/04/26 10:22 |
| S11 | 1 | information adj2 advertising adj distribution adj system adj2 method | EPO | OR | ON | 2005/04/26 10:23 |
| S12 | 422 | 725/46.ccls. | US-PGPUB; USPAT; EPO | OR | ON | 2005/10/12 16:50 |
| S14 | 79 | 725/46.ccls. and ((@ad <= "19990922")(@rlad <= "19990922")) and (preference profile) | US-PGPUB; USPAT; EPO | OR | ON | 2005/10/12 16:52 |
| S15 | 11 | 725/46.ccls. and ((@ad <= "19990922")(@rlad <= "19990922")) and ((preference profile) same independent) | US-PGPUB; USPAT; EPO | OR | ON | 2005/10/12 16:52 |
| S16 | 1 | ("5754939").PN. | USPAT | OR | OFF | 2005/04/26 15:03 |
| S17 | 1 | ("20020199194").PN. | US-PGPUB; USPAT | OR | OFF | 2005/04/26 15:07 |
| S18 | 1 | ("5913013").PN. | US-PGPUB; USPAT | OR | OFF | 2005/04/26 15:07 |
| S19 | 25 | tivo.as. | USPAT | OR | OFF | 2005/04/26 15:08 |
| S20 | 11 | tivo.as. and ((@ad <= "19990922")(@rlad <= "19990922")) | USPAT | OR | OFF | 2005/04/26 15:14 |

EAST Search History

| | | | | | | |
|-----|-----|---|----------------------------|----|-----|------------------|
| S21 | 0 | tivo.as. and ((@ad <= "19990922")(@rlad <= "19990922")) and recommend\$4 | USPAT | OR | OFF | 2005/04/26 15:08 |
| S22 | 11 | tivo.as. and ((@ad <= "19990922")(@rlad <= "19990922")) | US-PGPUB; USPAT | OR | OFF | 2005/10/12 16:53 |
| S23 | 64 | 725/46.ccls. and ((@ad <= "19990922")(@rlad <= "19990922")) and (preference profile) and (like dislike) | US-PGPUB; USPAT; EPO | OR | ON | 2005/10/12 16:54 |
| S24 | 110 | 725/46.ccls. and ((@ad <= "19990922")(@rlad <= "19990922")) | US-PGPUB; USPAT; EPO | OR | ON | 2005/04/27 08:35 |
| S25 | 1 | ("5749081").PN. | USPAT | OR | OFF | 2005/04/27 08:35 |
| S26 | 67 | 725/46.ccls. and ((@ad <= "19990922")(@rlad <= "19990922")) and (preference profile) and (like dislike recommend\$3) | US-PGPUB; USPAT; EPO | OR | ON | 2005/10/12 16:54 |
| S27 | 821 | "725"/\$7.ccls. and ((@ad <= "19990922")(@rlad <= "19990922")) and (preference profile) and (like dislike recommend\$3) | US-PGPUB; USPAT; EPO | OR | ON | 2005/10/12 16:55 |
| S28 | 190 | "725"/\$7.ccls. and ((@ad <= "19990922")(@rlad <= "19990922")) and ((preference profile) same (like dislike recommend\$3)) | US-PGPUB; USPAT; EPO | OR | ON | 2005/10/12 16:55 |
| S29 | 489 | 725/46.ccls. | US-PGPUB; USPAT; EPO | OR | ON | 2005/10/12 16:51 |
| S30 | 67 | 725/46.ccls. and (@pd >= "20050427") | US-PGPUB; USPAT; EPO | OR | ON | 2005/10/12 16:51 |
| S31 | 5 | 725/46.ccls. and ((@ad <= "19990922")(@rlad <= "19990922")) and (@pd >= "20050427") | US-PGPUB; USPAT; EPO | OR | ON | 2005/10/12 16:52 |
| S32 | 0 | 725/46.ccls. and ((@ad <= "19990922")(@rlad <= "19990922")) and ((preference profile) same independent) and (@pd >= "20050427") | US-PGPUB; USPAT; EPO | OR | ON | 2005/10/12 16:52 |
| S33 | 5 | 725/46.ccls. and ((@ad <= "19990922")(@rlad <= "19990922")) and (preference profile) and (@pd >= "20050427") | US-PGPUB; USPAT; EPO | OR | ON | 2005/10/12 16:52 |

EAST Search History

| | | | | | | |
|-----|----|--|----------------------------|----|-----|------------------|
| S34 | 1 | tivo.as. and ((@ad <= "19990922")(@rlad <= "19990922")) and (@pd >= "20050427") | US-PGPUB; USPAT | OR | OFF | 2005/10/12 16:53 |
| S35 | 3 | 725/46.ccls. and ((@ad <= "19990922")(@rlad <= "19990922")) and (preference profile) and (like dislike) and (@pd >= "20050427") | US-PGPUB; USPAT; EPO | OR | ON | 2007/01/26 16:38 |
| S36 | 3 | 725/46.ccls. and ((@ad <= "19990922")(@rlad <= "19990922")) and (preference profile) and (like dislike recommend\$3) and (@pd >= "20050427") | US-PGPUB; USPAT; EPO | OR | ON | 2005/10/12 16:55 |
| S37 | 31 | "725"/\$7.ccls. and ((@ad <= "19990922")(@rlad <= "19990922")) and (preference profile) and (like dislike recommend\$3) and (@pd >= "20050427") | US-PGPUB; USPAT; EPO | OR | ON | 2005/10/12 16:55 |
| S38 | 7 | "725"/\$7.ccls. and ((@ad <= "19990922")(@rlad <= "19990922")) and ((preference profile) same (like dislike recommend\$3)) and (@pd >= "20050427") | US-PGPUB; USPAT; EPO | OR | ON | 2005/10/12 16:55 |
| S39 | 0 | nielson.as. and tree | US-PGPUB; USPAT | OR | OFF | 2007/01/26 14:53 |
| S40 | 1 | nielsen.as. and tree | US-PGPUB; USPAT | OR | OFF | 2007/01/26 14:54 |
| S41 | 16 | nielsen.as. and hier\$ | US-PGPUB; USPAT | OR | OFF | 2007/01/26 16:08 |
| S42 | 80 | eldering.in. | US-PGPUB; USPAT | OR | OFF | 2007/01/26 16:09 |
| S43 | 47 | eldering.in. and "725"/\$.ccls. | US-PGPUB; USPAT | OR | OFF | 2007/01/26 16:09 |
| S44 | 6 | eldering.in. and "725"/\$.ccls. and (tree or hier\$) | US-PGPUB; USPAT | OR | OFF | 2007/01/26 16:19 |
| S45 | 0 | peyton.in. and "725"/\$.ccls. and (tree or hier\$) | US-PGPUB; USPAT | OR | OFF | 2007/01/26 16:19 |
| S46 | 0 | peyton.in. and "725"/\$.ccls. | US-PGPUB; USPAT | OR | OFF | 2007/01/26 16:20 |
| S47 | 4 | payton.in. and "725"/\$.ccls. | US-PGPUB; USPAT | OR | OFF | 2007/01/26 16:20 |
| S48 | 3 | payton.in. and "725"/\$.ccls. and (tree or hier\$) | US-PGPUB; USPAT | OR | OFF | 2007/01/26 16:37 |

EAST Search History

| | | | | | | |
|-----|------|---|--------------------|----|-----|------------------|
| S49 | 84 | "725"/\$.ccls. and ((tree or hier\$) with (data adj structure)) | US-PGPUB; USPAT | OR | OFF | 2007/01/26 16:38 |
| S50 | 13 | "725"/\$.ccls. and ((tree or hier\$) with (data adj structure)) and ((@ad <= "19990922")(@rlad <= "19990922")) and (preference profile) | US-PGPUB; USPAT | OR | OFF | 2007/01/26 16:38 |
| S51 | 15 | "725"/\$.ccls. and ((tree or hier\$) with (data adj structure)) and ((@ad <= "19990922")(@rlad <= "19990922")) and (preference profile) | US-PGPUB; USPAT | OR | ON | 2007/06/15 11:17 |
| S52 | 51 | "725"/\$.ccls. and ((tree or hier\$) with (data adj structure)) and ((@ad <= "19990922")(@rlad <= "19990922")) | US-PGPUB; USPAT | OR | ON | 2007/01/26 16:38 |
| S53 | 15 | "725"/\$.ccls. and ((tree or hier\$) with (data adj structure)) and ((@ad <= "19990922")(@rlad <= "19990922")) and (preference profile) | US-PGPUB; USPAT | OR | ON | 2007/06/15 13:02 |
| S54 | 314 | 725/9,13,16,24,46.ccls. and ((@ad <= "19990922")(@rlad <= "19990922")) | US-PGPUB; USPAT | OR | ON | 2007/06/15 11:18 |
| S55 | 1255 | 725/9,13,16,24,46.ccls. | US-PGPUB; USPAT | OR | ON | 2007/06/15 13:06 |
| S56 | 3 | S53 and S55 | US-PGPUB; USPAT | OR | ON | 2007/06/15 11:18 |
| S57 | 3 | S53 and S54 | US-PGPUB; USPAT | OR | ON | 2007/06/15 11:18 |
| S58 | 249 | "725"/\$.ccls. and (data adj structure) and (preference profile) and ((@ad <= "19990922")(@rlad <= "19990922")) | US-PGPUB; USPAT | OR | ON | 2007/06/15 13:03 |
| S59 | 1255 | 725/9,13,16,24,46.ccls. | US-PGPUB; USPAT | OR | ON | 2007/06/15 13:06 |
| S60 | 43 | S58 and S59 | US-PGPUB; USPAT | OR | ON | 2007/06/15 15:41 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|----------|------------------|---------|------------------|
| L1 | 0 | ((user or viewer) near2 preference\$) and (preference or value) and (hierarchical adj data adj structure) and (tree adj structure) and set and (subset or "sub-set") and (parent near2 object\$) and (child near2 object\$) and (multimedia adj2 content) and (search or searching) and (filter or filtering)).clm. | US-PGPUB | OR | ON | 2007/06/15 15:51 |
| L2 | 0 | ((user or viewer) near2 preference\$) and (preference or value) and (hierarchical adj data adj structure) and (tree adj structure) and set and (subset or "sub-set") and (parent near2 object\$) and (child near2 object\$) and (search or searching) and (filter or filtering)).clm. | US-PGPUB | OR | ON | 2007/06/15 15:51 |
| L3 | 0 | ((user or viewer) near2 preference\$) and (preference or value) and (hierarchical adj data adj structure) and (tree adj structure) and set and (subset or "sub-set") and (search or searching) and (filter or filtering)).clm. | US-PGPUB | OR | ON | 2007/06/15 15:51 |